

Author Index of Volume 165

Aleksenko, E. N., 117, 125
Arinushkin, I. A., 117

Baburaj, E. G., 149
Baddi, R., L1
Banerjee, R., 149
Brody, H. D., 45

Čadek, J., 99
Cherry, B. W., 90
Crampon, J., L1
Crimp, M. A., 29
Cunat, Ch., 143

Della Valle, R. G., 183
Dey, G. K., 149
Duclos, R., L1

Fiorani, J. M., 143

Gazzillo, D., 183
Grinberg, N. M., 117, 125

Hashmi, F. H., 75
Hsueh, C. H., 189

Illekova, E., 143

Jain, L. K., 91
Jeong, W. C., 1, 9

Khan, A. Q., 75
Krauss, G., 1, 9
Kuhnast, F. A., 143
Kulkarni, U. D., 149

LaCourse, W. C., 89
Ledbetter, H., L9
Lei, T. C., 19
Lin, K. M., 109

Matlock, D. K., 1, 9
Moskalenko, V. A., 117, 125
Mozhaev, A. V., 117

Pahutová, M., 99
Pastore, G., 183

Rios, P. R., L5
Roy, M., 51
Ruano, O. A., 133
Ryder, P. L., 81

Savalia, R. T., 149
Selke, H., 81
Shen, P., 175
Sherby, O. D., 133
Shin, K., 35
Shueh, Y., 175
Smirnov, A. R., 117, 125

Sundararajan, G., 51
Šustek, V., 99

Tauqir, A., 75
Tirupataiah, Y., 51
Tsai, H. L., 167
Tsai, P. C., 167
Tsau, C. H., 157
Tsaur, S. S., 175
Tu, D. C., 167

Vedula, K. M., 29

Wadsworth, J., 133
Wang, R., 19
Wetherhold, R. C., 91
Whang, S. H., 35
Wisniewski, P., 45
Wolfenstine, J., 133
Wong, C. R., 35

Yakovenko, L. F., 117, 125
Yang, F. S., 175
Yen, J. W., 157
You, R., 175
Yun, H. M., 65

Zmievsky, V. I., 125

Subject Index of Volume 165

Alloys

- a study on the microstructures and properties of an A390.0 aluminium alloy produced by the layer deposition process, 157
- decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81
- dislocation structure and fatigue crack growth in titanium alloy VT5-1ct at temperatures of 293-11 K, 125
- effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65
- effect of particle shape on the erosion of Cu and its alloys, 51
- fatigue-induced dislocation structure of titanium alloy VT5-1ct at temperatures of 293-11 K, 117
- microstructure studies on rapidly solidified $Mg_{32}(Al_xZn_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29

Alumina

- neighbour switching by grain boundary penetration during diffusional deformation of an alumina/zirconia composite, L1

Aluminium

- a study on the microstructures and properties of an A390.0 aluminium alloy produced by the layer deposition process, 157
- creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
- decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81
- fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35
- microstructure studies on rapidly solidified $Mg_{32}(Al_xZn_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29

Austenite

- deformation and restoration behaviour of ferrite-austenite two-phase structures, 19
- observation of deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 1

Bimetallics

- dislocation dissociation near a bimetallic interface, 109

Boron

- thermomechanical analysis of the relaxation and crystallisation of $Fe_{85-x}Co_xB_{15}$ metallic glasses, 143

Carbon

- effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
- observation of deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 1

Chromium

- creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
- decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81

Coatings

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189

Cobalt

- thermomechanical analysis of the relaxation and crystallisation of $Fe_{85-x}Co_xB_{15}$ metallic glasses, 143

Composites

- fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35
- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189
- neighbour switching by grain boundary penetration during diffusional deformation of an alumina/zirconia composite, L1
- the effect of crack orientation on the fracture properties of composite materials, 91

Composition

- effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65

Cooling rate

- the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29

Copper

- decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81
- effect of particle shape on the erosion of Cu and its alloys, 51
- fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35

Coarsening

- abnormal growth and abnormal coarsening with a quasi-stationary distribution, L5

Cracking

- dislocation structure and fatigue crack growth in titanium alloy VT5-1ct at temperatures of 293-11 K, 125
- the effect of crack orientation on the fracture properties of composite materials, 91

Creep

- creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
- effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65
- evidence for Nabarro-Herring creep in metals: fiction or reality?, 133

Crystallisation

- thermomechanical analysis of the relaxation and crystallisation of $Fe_{85-x}Co_xB_{15}$ metallic glasses, 143

Damping

- fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35

- Decomposition**
decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81
- Deformation**
deformation and restoration behaviour of ferrite-austenite two-phase structures, 19
effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
neighbour switching by grain boundary penetration during diffusional deformation of an alumina/zirconia composite, L1
observation of deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 1
- Dendrites**
microstructural characterization of interdendritic liquid channels, 45
- Deposition**
a study on the microstructures and properties of an A390.0 aluminium alloy produced by the layer deposition process, 157
- Dislocation**
dislocation dissociation near a bimetallic interface, 109
dislocation structure and fatigue crack growth in titanium alloy VT5-1ct at temperatures of 293-11 K, 125
fatigue-induced dislocation structure of titanium alloy VT5-1ct at temperatures of 293-11 K, 117
- Elasticity**
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189
- Electron beams**
electron beam transient tempering of a rapidly solidified high speed steel with an unusual rapidity, 75
- Enamel**
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
- Erosion**
effect of particle shape on the erosion of Cu and its alloys, 51
- Fabrication**
fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35
- Fatigue**
dislocation structure and fatigue crack growth in titanium alloy VT5-1ct at temperatures of 293-11 K, 125
fatigue-induced dislocation structure of titanium alloy VT5-1ct at temperatures of 293-11 K, 117
- Ferrite**
deformation and restoration behaviour of ferrite-austenite two-phase structures, 19
- Fibres**
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189
- Fracture**
the effect of crack orientation on the fracture properties of composite materials, 91
- Glass**
non-additive Lennard-Jones model for the structure of $\text{Ni}_{33}\text{Y}_{67}$ metallic glass: integral equation and molecular dynamics calculations, 183
- Glasses**
thermomechanical analysis of the relaxation and crystallisation of $\text{Fe}_{85-x}\text{Co}_x\text{B}_{15}$ metallic glasses, 143
- Grain boundaries**
neighbour switching by grain boundary penetration during diffusional deformation of an alumina/zirconia composite, L1
- Grain size**
the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29
- Interdiffusion**
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
- Interfaces**
dislocation dissociation near a bimetallic interface, 109
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189
- Iron**
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29
thermomechanical analysis of the relaxation and crystallisation of $\text{Fe}_{85-x}\text{Co}_x\text{B}_{15}$ metallic glasses, 143
- Laser glazing**
study of processing variables in laser glazing plasma-sprayed thermal barrier coatings, 167
- Liquid channels**
microstructural characterization of interdendritic liquid channels, 45
- Magnesium**
microstructure studies on rapidly solidified $\text{Mg}_{32}(\text{Al}_x\text{Zn}_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- Manganese**
effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
observation of deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 1
- Mechanical behaviour**
the relationship between cooling rate, grain size and the mechanical behavior of B2 Fe-Al alloys, 29
- Metals**
evidence for Nabarro-Herring creep in metals: fiction or reality?, 133
non-additive Lennard-Jones model for the structure of $\text{Ni}_{33}\text{Y}_{67}$ metallic glass: integral equation and molecular dynamics calculations, 183
- Microstructure**
effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65
microstructural characterization of interdendritic liquid channels, 45
- Molecular dynamics**
non-additive Lennard-Jones model for the structure of $\text{Ni}_{33}\text{Y}_{67}$ metallic glass: integral equation and molecular dynamics calculations, 183

- Molybdenum**
creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
- Nabarro-Herring creep**
evidence for Nabarro-Herring creep in metals: fiction or reality?, 133
- Nickel**
creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
non-additive Lennard-Jones model for the structure of $\text{Ni}_{33}\text{Y}_{67}$ metallic glass: integral equation and molecular dynamics calculations, 183
- Particle shape**
effect of particle shape on the erosion of Cu and its alloys, 51
- Plasma spraying**
study of processing variables in laser glazing plasma-sprayed thermal barrier coatings, 167
- Quasicrystals**
decomposition of icosahedral quasicrystals in Al-Cu-Cr alloys, 81
microstructure studies on rapidly solidified $\text{Mg}_{32}(\text{Al}_x\text{Zn}_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- Rapid solidification**
electron beam transient tempering of a rapidly solidified high speed steel with an unusual rapidity, 75
microstructure studies on rapidly solidified $\text{Mg}_{32}(\text{Al}_x\text{Zn}_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- Restoration behaviour**
deformation and restoration behaviour of ferrite-austenite two-phase structures, 19
- Silicon**
effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
observation of deformation and transformation behavior of retained austenite in a 0.14C-1.25Si-1.5Mn steel with ferrite-bainite-austenite structure, 1
- Steel**
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
electron beam transient tempering of a rapidly solidified high speed steel with an unusual rapidity, 75
- Stress**
effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, X: with an elastic interfacial coating, 189
- Tempering**
electron beam transient tempering of a rapidly solidified high speed steel with an unusual rapidity, 75
- Tensile testing**
effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
- Thermal coatings**
study of processing variables in laser glazing plasma-sprayed thermal barrier coatings, 167
- Thermomechanical analysis**
thermomechanical analysis of the relaxation and crystallisation of $\text{Fe}_{85-x}\text{Co}_x\text{B}_{15}$ metallic glasses, 143
- Titanium**
dislocation structure and fatigue crack growth in titanium alloy VT5-1ct at temperatures of 293-11 K, 125
effect of Fe/Ni/Ti interdiffusion on the microstructure of direct-on enamel on steel, 175
fatigue-induced dislocation structure of titanium alloy VT5-1ct at temperatures of 293-11 K, 117
- Transformation**
effects of tensile-testing temperature on deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 9
observation of deformation and transformation behavior of retained austenite in a 0.14C-1.2Si-1.5Mn steel with ferrite-bainite-austenite structure, 1
- Tungsten**
creep in a nickel base 16Cr-10W-4Mo-TiAl heat resistant alloy, 99
effect of composition and microstructure on the creep and stress rupture behavior of tungsten alloy wires at 1366-1500 K, 65
- Two-phase structures**
deformation and restoration behaviour of ferrite-austenite two-phase structures, 19
- Young's moduli**
dynamic vs. static Young's moduli: a case study, L9
- Yttrium**
non-additive Lennard-Jones model for the structure of $\text{Ni}_{33}\text{Y}_{67}$ metallic glass: integral equation and molecular dynamics calculations, 183
- Zinc**
fabrication and damping capacity of Cu-Zn-Al matrix composites processed by powder metallurgy route, 35
microstructure studies on rapidly solidified $\text{Mg}_{32}(\text{Al}_x\text{Zn}_{1-x})_{49}$ potentially quasicrystal forming alloys, 149
- Zirconia**
neighbour switching by grain boundary penetration during diffusional deformation of an alumina/zirconia composite, L1

